

Entac Power Adapter 1 Socket (1 Earthed) with Switch

Product code: EPAG-1EE-SW
ID: ES-200418
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

Date of issue: 2024-05-21

Page: 1/3

SPECIFICATIONS

EAN code: 5999097904368
Warranty:
Packaging: 1/b 100/c 2400/p
Certifications: CE

TECHNICAL DETAILS

Wattage: 3 500W
Voltage: 250V
Length:
Cable type:
Number of sockets: 1pcs
Switch:
IP Class: IP20

PRODUCT PICTURE



Entac Power Adapter 1 Socket (1 Earthed) with Switch

Product code: EPAG-1EE-SW
ID: ES-200418
Company name: Bramcke Hungary Kft.
Company address: Kishatár utca 17., 4031 Debrecen

Date of issue: 2024-05-21

Page: 2/3

PRODUCT SIZE

Size: 150mm x 120mm x 50mm

CARDBOARD BOX

EAN: 5999097904368
Packaging: 1/b 100/c 2400/p
Dimensions: 150mm x 120mm x 50mm
Net weight: 74g
Gross weight: 80g

CARTON

EAN: 5999097904375
Packaging: 1/b 100/c 2400/p
Dimensions: 450mm x 280mm x 400mm
Net weight: 7.4kg
Gross weight: 8kg

PALLET EXAMPLE

Height:
Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)
Cartons per pallet: 24carton/pallet
Cartons per row:
Net weight: 177.6kg
Gross weight: 192kg

PRODUCT PICTURE



Entac Power Adapter 1 Socket (1 Earthed) with Switch

Product code: EPAG-1EE-SW

ID: ES-200418

Date of issue: 2024-05-21

Company name: Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen

Page: 3/3

PRODUCT DESCRIPTION

With the help of Entac power adapters we can expand our options even in indoor rooms with few power sources. We provide a solution for using earthed and Europlugs. Of the adapters with an earthed socket there are versions with 2 or 3 sockets. Our Euro adapters are available with 2 sockets, as well as in a mixed version with 2 Euro and 2 earthed sockets. We may also choose from adapters equipped with a switch, available with 1 or 2 earthed sockets or in a mixed version with 1 earthed and 2 Euro sockets. Besides these, we also sell the classic T-shaped strip with 3 earthed sockets.

Entac has a number of different product categories that can be viewed at the [link](#) below.